



End plate, Width: 1.5 mm, Colour: Beige

Business data

| | |
|--|---------------|
| Article number | <u>2427.2</u> |
| Article name | AP 2,5/15 BG |
| GTIN (EAN) | 4044211052102 |
| Packaging unit | 50 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 0.95 g |
| Weight per piece (including packaging) | 0.96 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Prio-Article | 2427.2 |
| Product description | End plate |

Technical data

Dimensions

| | |
|----------------|--------|
| Length | 24 mm |
| Width | 1.5 mm |
| Min. thickness | 1.5 mm |
| Height | 24 mm |

Materials

| | |
|---------------------------|---------------|
| Material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |

Further technical data

| | |
|-----------------------|---|
| Designed as end plate | ✓ |
| Snap-on available | ✓ |


Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2022-06-10 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>1035.2</u> | SRK 2,5/15 BG | 4044211007737 | 100 |