

28143.7 PVC-TAP 15X67 WH

Device and installation marker, Length: 67 mm, Width: 15 mm, Colour: White

RAL: 9010

Business data

Article number	<u>28143.7</u>
Article name	PVC-TAP 15X67 WH
GTIN (EAN)	4044211213985
Packaging unit	175
Quantity unit	PC
Number of markers per card	7 ST
Weight per piece (not including packaging)	1.8 g
Weight per piece (including packaging)	1.8 g
Unit of weight	G
Customs number	39204910
Country of origin	IT
Prio-Article	28143.7
Product description	Device and installation marker

28143.7 PVC-TAP 15X67 WH

Technical data

Dimensions

Length	67 mm
Width	15 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Silicone-free	✓

Further technical data

Mounting	PS 15 Profil
Software code	168

Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2022-06-10
REACH Candidate Substance Note	No
RoHS Conform	yes

Media

28143.7 PVC-TAP 15X67 WH

Accessories

Printer



Thermal transfer printer TTPCard including a power cord, USB cable, dust cover, black thermal transfer film (28010.4), three inlays: CCI-PC-SB 5x5 (28020.0), CCI-PC-CPM-10/BSTR (28027.0), CCI-PC/PVC/PVCF (28041.0), CONTASign PRO software in 16 languages (German, English, French, Italian, Dutch, Spanish, Portuguese, Czech, Polish, Bulgarian, Romanian, Slovenian, Turkish, Chinese, Japanese, Russian) for Windows versions 7, 8, 10. (available for download)

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28000.0</u>	TTPCard Set	4044211207397	1 ST

Inlays

Printer inlay

Article number	Article name	GTIN (EAN)	Packaging unit
<u>28041.0</u>	CCI-PC/PVC/PVCF	4044211208097	1 ST
