

End plate, Width: 1.5 mm, Colour: Orange

Business data

| | |
|--|---------------|
| Article number | 3402.3 |
| Article name | FAP 1,5/4A OG |
| GTIN (EAN) | 4044211110338 |
| Packaging unit | 20 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 3 g |
| Weight per piece (including packaging) | 3.1 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | DE |
| Prio-Article | 3402.2 |
| Product description | End plate |

Technical data

Dimensions

| | |
|--------|---------|
| Length | 60.4 mm |
| Width | 1.5 mm |
| Height | 31.5 mm |

Materials

| | |
|---------------------------|---------------|
| Material | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |


Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2022-06-10 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Media

Accessories

##INVERSE##CONTA-CONNECT



Feed-through terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|----------------|
| <u>3202.2</u> | FRK 1,5/4A BG | 4044211109684 | 100 |



Protective earth terminal, Push-in connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm², Width: 4.1 mm, Colour: Green-yellow

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|----------------|
| <u>3205.2</u> | FSL 1,5/4A GNYE | 4044211110123 | 100 ST |